USPTO Form 1449 U.S. Department of Commer Attorney Docket No. Serial No. Patent and Trademark Office 001107.00368 10/617.885 INFORMATION DISCLOSURE JUL 0 5 7006 **CITATION** Applicant: Zack Sheet 1 of 5 Group: 1632 Filing Date: July 14, 2003 U.S. PATENT DOCUMENTS Examiner Patent No. Date Name Class Subclass Filing Date Initial (if appropriate) FOREIGN PATENT DOCUMENTS Examiner Document No. Date Country Class Subclass Translation Initial YES NO OTHER DOCUMENTS Auricchio et al., "Exchange of surface proteins impacts on viral vector cellular specificity and transduction W.S. characteristics: the retina as a model," Human Molecular Genetics 10, 3075-81, 2001 Bankiewicz et al., "Convection-enhanced delivery of AAV vector in parkinsonian monkeys; in vivo detection of gene expression and restoration of dopaminergic function using pro-drug approach," Exp. W.S. Neurol. 164, 2-14, July 2000 (abstract) Biewenga et al., "Plasmid-mediated gene transfer in neurons using the biolistics technique," J. Neurosci. W.S. Methods 71, 67-75, January 1997 (abstract) Blesch et al., "Modulation of neuronal survival and axonal growth in vivo by tetracycline-regulated W.S. neurotrophins expression," Gene Therapy 8, 954-60, June 2001 (abstract) Blesch & Tuszynski, "GDNF gene delivery to injured adult CNS motor neurons promotes axonal growth. expression of the trophic neuropeptide CGRP, and cellular protection," J. Comp. Neurol. 436, 399-410, W.S. August 2001 (abstract) Blits et al., "Pharmacological, cell, and gene therapy strategies to promote spinal cord regeneration," Cell W.S. Transplant. 11, 593-613, 2002 (abstract) Boviatsis et al., "Gene transfer into experimental brain tumors mediated by adenovirus, herpes simplex virus W.S. and retrovirus vectors," Hum. Gene Ther. 5, 183-91, February 1994 (abstract) Breakefield & DeLuca, "Herpes simplex virus for gene delivery to neurons," New Biol. 3, 203-18, March W.S. 1991 (abstract) Chen et al., "HSV amplicon-mediated neurotrphin-3 expression protects murine spiral ganglion neurons W.S. from cisplatin-induced damage," Mol. Ther. 3, 958-63, June 2001 (abstract) Cheng et al., "Human immunodeficiency virus type 2 (HIV-2) vector-mediated in vivo gene transfer into W.S. adult rabbit retina," Curr. Eye Res. 24, 196-201, March 2002 (abstract) Davar et al., "Comparative efficacy of expression of genes delivered to mouse sensory neurons with herpes W.S. virus vectors," J. Comp. Neurol. 339, 3-11, January 1994 (abstract) de Marco et al., "MR imaging of gene delivery to the central nervous system with an artificial vector," W.S. Radiology 208, 65-71, July 1998 (abstract) DATE CONSIDERED **EXAMINER** /Wu Cheng Winston Shen/ (09/12/2006) *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with

next communication to Applicant.

USPTO Form 1449 U.S. Department of Commerce Attorney Docket No. Serial No. Patent and Trademark Office 001107.00368 10/617, 885 INFORMATION DISCLOSURE CITATION JUL 05 7006 Applicant: ZACK Sheet 2 of 5 1632 Group: 1649 Filing Date: July 14, 2003 U.S. PATENT DOCUMENTS Patent No. Date Name Class · Subclass Filing Date Examiner (if appropriate) Initial FOREIGN PATENT DOCUMENTS Class Subclass Translation Examiner Document No. Date Country Initial NO YES OTHER DOCUMENTS Di Polo et al., "Prolonged delivery of brain-derived neurotrophic factor by adenovirus-infected Müller cells W.S. temporarily rescues injured retinal ganglion cells," Proc. Natl. Acad. Sci. USA 95, 3978-83, March 1998 Eberhardt et al., "Protection by synergistic effects of adenovirus-mediated X-chromosome-linked inhibitor of apoptosis and glial cell line-derived neurotrophic factor gene transfer in the 1-methyl-4-phenyl-1,2,3,6-W.S. tetrahydropyridine model of Parkinson's disease," J Neurosci. 2000 Dec 15;20(24):9126-34. Fathallah-Shaykh et al., "Gene Transfer into Brain Parenchyma Elicits Antitumor Effects," Cancer Res. 60, W.S. 1797-99, April 1, 2000 Garcia-Valenzuela et al., "Axon-mediated gene transfer of retinal ganglion cells in vivo," J. Neurobiol. 32, W.S. 111-22, January 1997 (abstract) Giehl & Tetzlaff, "BDNF and NT-3, but not NGF, prevent axotomy-induced death of rat corticospinal W.S. neurons in vivo," Eur. J. Neurosci. 7, 1167-75, June 1996 (abstract) Haas et al., "Single-cell electroporation for gene transfer in vivo," Neuron 29, 583-91, March 2001 (abstract) W.S. Hagihara et al., "Widespread gene transfection into the central nervous system of primates," Gene Ther. 7, W.S. 759-63, May 2000 (abstract) Han et al., "Transgene expression in the guinea pig cochlea mediated by a Lentivirus-derived gene transfer W.S. vector," Hum. Gene Ther. 10, 1867-73, July 20, 1999 (abstract) Hecker et al., "Nonviral gene delivery to the lateral ventricles in rat brain: initial evidence for widespread W.S. distribution and expression in the central nervous system," Mol. Ther. 3, 375-84, March 2001 (abstract) Hoffman et al., "NGF released from a polymer matrix prevents loss of ChAT expression in basal forebrain W.S. neurons following a fimbria-fornix lesion," Exp. Neurol. 110, 39-44, October 1990 (abstract) Hossain et al., "Human FGF-1 gene delivery protects against quinolinate-induced striatal and hippocampal W.S. injury in neonatal rats," Eur. J. Neurosci. 10, 2490-99, August 1998 (abstract) Hughes et al., "Axotomized septal cholinergic neurons rescued by nerve growth factor or neurotrphin-4/5 fail W.S. to express the inducible transcription factor c-Jun," Neurosci. 78, 1037-49, June 1997 (abstract) Isenmann et al., "Short communication: protection of axotomized retinal ganglion cells by adenovirally W.S. delivered BDNF in vivo," Eur. J. Neurosci. 10, 2751-56, August 1998 (abstract) Johnston et al., "Delivery of human fibroblast growth factor-1 gene to brain by modified rat brain endothelial W.S. cells," J. Neurochem. 67, 1643-52, October 1996 (abstract) Joung et al., "Effective gene transfer into regenerating sciatic nerves by adenoviral vectors: potentials for W.S. gene therapy of peripheral nerve injury," Mol. Cells. 10, 540-45, October 2000 (abstract) DATE CONSIDERED **EXAMINER** /Wu Cheng Winston Shen/ (09/12/2006) *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with

| USPTO Form 1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE | | | Attorney Docket No. 001107.00368 | | Serial No. 10/617, 885 | | | |
|--|--|---|--|-----------------|---------------------------|---------------------------------|---------------|--|
| CITATION | I | | Applicant: ZACK | | | | | |
| Sheet 3 of 5 | · . | | Filing Date: July 14, 200 |)3 | | 1632 Group: 1649 | | |
| U.S. PATE | NT DOCUMENTS | | | | | | | |
| Examiner Initial | Patent No. | Date | Name | Class | Subclass | Filing Date (if appropriate) | | |
| | | | | | | <u> </u> | | |
| FOREIGN ! | FOREIGN PATENT DOCUMENTS | | | | | | | |
| Examiner Initial | Document No. | Date | Country | Class | Subclass | Translati | Translation | |
| ****** | | | | | | YES | NO | |
| | <u> </u> | | | | | | L | |
| OTHER DO | CUMENTS Vegger et al "Targete | | for nauronal protectiv | " Mal 1 | M 5 50 f | S Janua | 2002 | |
| W.S. | Kaspar et al., "Targeted retrograde gene delivery for neuronal protection," Mol. Ther. 5, 50-56, January 2002 (abstract) | | | | | | | |
| W.S. | Kawaja et al., "Somatic gene transfer of nerve growth factor promotes the survival of axotomized septal neurons and the regeneration of their axons in adult rats," J. Neurosci. 12, 2849-64, July 1992 (abstract) | | | | | | | |
| W.S. | Keir et al., "Adeno-associated virus-mediated delivery of glial cell line-derived neurotrophic factor protects motor neuron-like cells from apoptosis," J. Neuroviol. 7, 437-46, October 2001 (abstract) | | | | | | | |
| W.S. | Knight et al., "Non-viral neuronal gene delivery mediated by the H _C fragment of tetanus toxin," Eur. J. | | | | | | | |
| | · · · · · · · · · · · · · · · · · · · | Biochem. 259, 762-69, 1999 Variable of all "Project desired recognitions of the project of the | | | | | | |
| W.S. | Knusel et al., "Brain-derived neurotrophic factor administration protects basal forebrain cholinergic but not nigral dopaminergic neurons from degenerative changes after axotomy in the adult rat brain," J. Neurosci. 12, 4391-402, November 1992 (abstract) | | | | | | | |
| W.S. | Koliatsos et al., "Mouse Nerve Growth Factor Prevents Degeneration of Axotomized Basal Forebrain Cholinergic Neurons in the Monkey," J. Neurosci. 10, 3801-13, December 1990 | | | | | | | |
| W.S. | Kromer, "Nerve growth factor treatment after brain injury prevents neuronal death," Science 235, 214-16, January 1987 (abstract) | | | | | | | |
| W.S. | Kugler et al., "Transduction of axotomized retinal ganglion cells by adenoviral vector administration at the optic nerve stump: an in vivo model system for the inhibition of neuronal apoptotic cell death," Gene Ther. 6, 1759-67, October 1999 (abstract) | | | | | | | |
| W.S. | Lachman & Efstathiou, "Utilization of the Herpex Simplex Virus Type 1 Latency-Associated Regulatory Region To Drive Stable Reporter Gene Expression in the Nervous System," J. Virol. 71, 3197-207, April 1997 | | | | | | | |
| W.S. | Lilley et al., "Multiple Immediate-Early Gene-Deficient Herpes Simplex Virus Vectors Allowing Efficient Gene Delivery to Neurons in Culture and Widespread Gene Delivery to the Central Nervous System In Vivo," J. Virol. 75, 4343-56, May 2001 | | | | | | | |
| W.S. | Liu et al., "Application of recombinant adenovirus for in vivo gene delivery to spinal cord," Brain Res. 768, 19-29, September 12, 1997 (abstract) | | | | | | | |
| EXAMINER /Wu Cheng Winston Shen/ (09/12/2006) DATE CONSIDERED | | | | | | | | |
| *EXAMINER: Initiated in the communication | al if reference considered, whether or no | t citation is in conformance with MPI | EP 609. Draw line through citation if not in o | conformance and | not considered. Inc | lude copy of t | his form with | |

.

ıś

| USPTO Form 1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE CITATION | | | Attorney Docket No. 001107.00368 | | Serial No. 10/617, 885 | | | | |
|---|--|--|--|----------------------------|---------------------------|---------------------------------|---------------|--|--|
| | | | Applicant: ZACK | | | | | | |
| Sheet 4 of 5 | , | | Filing Date: July 14, 200 | Filing Date: July 14, 2003 | | | | | |
| U.S. PATE | NT DOCUMENTS | | | | | | | | |
| Examiner Initial | Patent No. | Date | Name | Class | Subclass | Filing Date (if appropriate) | | | |
| | | <u> </u> | | <u> </u> | | <u> </u> | | | |
| FOREIGN | PATENT DOCUMENT | rs | T | т | | т | | | |
| Examiner | Document No. | Date | Country | Class | Subclass | Translati | ion | | |
| Initial | | | | | | YES | NO | | |
| ļ | <u> </u> | | <u> L</u> | | <u> </u> | | | | |
| OTHER DO | OCUMENTS | | | | | | | | |
| W.S. | Lucidi-Phillipi et al., "TrkA activation is sufficient to rescue axotomized cholinergic neurons," Neuron 16, 653-63, March 1996 (abstract) | | | | | | | | |
| W.S. | Mandel et al., "Nerve growth factor expressed in the medial septum following in vivo gene delivery using a recombinant adeno-associated viral vector protects cholinergic neurons from fimbria-fornix lesion-induced degeneration," Exp. Neurol. 155, 59-64, January 1999 (abstract) | | | | | | | | |
| W.S. | Morse, "Brain-derived Neurotrophic Factor (BDNF) Prevents the Degeneration of Medial Septal Cholinergic Neurons following Fimbria Transection," J. Neurosci. 13, 4146-56, October 1993 | | | | | | | | |
| W.S. | Naldini et al., "Efficient transfer, integration, and sustained long-term expression of the transgene in adult rat brains injected with a lentiviral vector," <i>Proc. Natl. Acad. Sci. USA 93</i> , 11382-88, October 1996 (presented at a conference held June 9-11, 1996) | | | | | | | | |
| W.S. | Naldini et al., "In vivo gene delivery and stable transduction of nondividing cells by a lentiviral vector," Science 272, 263-67, April 12, 1996 (abstract) | | | | | | | | |
| W.S. | Ogueta et al., "The Human cGMP-PDE β-Subunit Promoter Region Directs Expression of the Gene to Mouse Photoreceptors," Investigative Ophthalmology & Visual Science 41, 4059-63, December 2000 | | | | | | | | |
| W.S. | Palmer et al., "Development and Optimization of Herpes Simplex Virus Vectors for Multiple Long-Term Gene Delivery to the Peripheral Nervous System," J. Virol. 74, 5604-18, June 2000 | | | | | | | | |
| W.S. | Pean et al., "Intrasepta | al implantation of NGF | F-releasing microspheres p -101, October 2000 (abstra | promote the | | axotomi | ized | | |
| W.S. | Perrelet et al., "IAP fa Jun; 12(6):2059-67 (ab | · . | otoneuron cell death in viv | /o," Eur J N | Veurosci. 20 | 100 | | | |
| W.S. | Sarkis et al., "Efficient transduction of neural cells in vitro and in vivo by a baculovirus-derived vector," Proc. Natl. Acad. Sci. USA 97, 14638-43, December 19, 2000 | | | | | | | | |
| W.S. | Schneider et al., "Retargeting of adenoviral vectors to neurons using the Hc fragment of tetanus toxin," Gene Ther. 7, 1584-92, September 2000 (abstract) | | | | | | | | |
| W.S. | Sinnayah et al., "Selective Gene Transfer to Key Cardiovascular Regions of the Brain: Comparison of Two Viral Vector Systems," Hypertension 39, 603-08, 2002 | | | | | | | | |
| W.s. | Takei et al., "Pituitary adenylate cyclase-activating polypeptide promotes the survival of basal forebrain cholinergic neurons in vitro and in vivo: comparison with effects of nerve growth factor," Eur. J. Neurosci. 12, 2273-80, July 2000 (abstract) | | | | | | | | |
| EXAMINER /Wu Cheng Winston Shen/ (09/12/2006) DATE CONSIDERED | | | | | | | | | |
| *EXAMINER: Initi next communication | ial if reference considered, whether or no | ot citation is in conformance with MPE | EP 609. Draw line through citation if not in | conformance and | not considered. Inc | lude copy of th | his form with | | |

| USPTO Form 1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE | | | Attorney Docket No. 001107.00368 | | Serial No. 10/617,885 | | | | |
|---|--|------|-------------------------------------|-------|--------------------------|---------------------------------|----|--|--|
| CITATION | • | | Applicant: ZACK | | | | | | |
| Sheet 5 of 5 | | | Filing Date: July 14, 2003 | | | 1632 Group: 1649 | | | |
| U.S. PATE | NT DOCUMENTS | | | | | | | | |
| Examiner Initial | Patent No. | Date | Name | Class | Subclass | Filing Date (if appropriate) | | | |
| | | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | | |
| Examiner | Document No. | Date | Country | Class | Subclass | Translation | | | |
| Initial | | | | | | YES | NO | | |
| | | | | | | | | | |
| OTHER DOCUMENTS | | | | | | | | | |
| W.S. | Taylor, "Cell vehicles for gene transfer to the brain," Neuromuscul. Disord. 7, 343-51, July 1997 (abstract) | | | | | | | | |
| W.S. | Terashima et al., "Retrograde and anterograde labeling of cerebellar afferent projection by the injection of recombinant adenoviral vectors into the mouse cerebellar cortex," Anat. Embryol. 196, 363-82, November 1997 (abstract) | | | | | | | | |
| W.S. | Wilcox et al., "Nerve growth factor prevents apoptotic cell death in injured central cholinergic neurons," J. Comp. Neurol. 359, 573-85, September 1995 (abstract) | | | | | | | | |
| W.S. | Williams et al., "Glial cell line-derived neurotrophic factor sustains axotomized basal forebrain cholinergic neurons in vivo: dose-response comparison to nerve growth factor and brain-derived neurotrophic factor," J. Pharmacol. Exp. Therp. 277, 1140-51, May 1996 (abstract) | | | | | | | | |
| W.S. | Williams et al., "Continuous infusion of nerve growth factor prevents basal forebrain neuronal death after fimbria fornix transection," pnas 83, 9231-35, December 1986 | | | | | | | | |
| W.S. | Wu et al., "An AAV promoter-driven neuropeptide Y gene delivery system using Sendai virosomes for neurons and rat brain," Gene Ther. 3, 246-53, March 1996 (abstract) | | | | | | | | |
| W.S. | Xu et al., "Polyphosphoester microspheres for sustained release of biologically active nerve growth factor," Biomaterials 23, 3765-72, September 2002 (abstract) | | | | | | | | |
| W.S. | Yasuno et al., "Nerve growth factor applied onto the olfactory epithelium alleviates degenerative changes of the olfactory receptor neurons following axotomy," Brain Res. 887, 53-62, December 22, 2000 (abstract) | | | | | | | | |
| W.S. | Zhang et al., "Protective effects of adenoviral cardiotrophin-1 gene transfer on rubrospinal neurons after spinal cord injury in adult rats," Neurotox Res. 2003;5(7):539-48 (abstract) | | | | | | | | |
| EXAMINER /Wu Cheng Winston Shen/ (09/12/2006) DATE CONSIDERED | | | | | | | | | |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant. | | | | | | | | | |

.

•

4.

,